

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

PO NO: 001B6400535

PRINT DATE: 02/14/19

PAGE: 01

SHIP TO:

AS SPECIFIED ON INDIVIDUAL ORDERS

VENDOR ID:

DEERE & COMPANY INC
A/K/A DEERE & COMPANY
2000 JOHN DEERE RUN
CARY, NC
(919) 804-2222

27513

REFER QUESTIONS TO:

FRANCINE JACKSON
(410) 767-3039
FRANCINE.JACKSON@MARYLAND.GOV

ITB: DGSR6400184

EXPR DATE: 06/08/19
POST DATE: 06/08/16

DISCOUNT TERMS: . NET 30 DAY
CONTRACT AMOUNT: .00

TERMS:

ARTICLES HEREIN ARE EXEMPT FROM MARYLAND SALES AND USE TAXES BY EXEMPTION CERTIFICATE NUMBER 3000256-3 AND FROM FEDERAL EXCISE TAXES BY EXEMPTION NUMBER 52-73-0358K. IT IS THE VENDOR'S RESPONSIBILITY TO ADVISE COMMON CARRIERS THAT AGENCIES OF THE STATE OF MARYLAND ARE EXEMPT FROM TRANSPORTATION TAX.

STATEWIDE CONTRACT

COMMERCIAL GRADE ZERO TURN MOWERS

TERM OF CONTRACT 06/08/16 UNTIL 06/08/19

DISCOUNTS OFFERED:

JOHN DEERE OFFERS A 22% DISCOUNT ON MODEL UPGRADES, OPTIONS AND ACCESSORIES.

AMENDMENT# 1:

IN ACCORDANCE WITH SECTION C - REVISED SPECIFICATION OF SOLICITATION #001IT820083/MDDGS31023032, THIS CONTRACT, BPO#001B6400535 IS AMENDED TO ALLOW VENDORS TO CONSIDER OFFERING ENTIRE PRODUCT LINES OF ZERO TURN MOWERS TO INCLUDE MORE POWERFUL, LARGER MACHINES.

VENDOR NAME : DEERE & COMPANY
VENDOR CONTACT: ANDREW R. ROMAN

*** CONTINUED, NEXT PAGE ***

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B6400535

PRINT DATE: 02/14/19

PAGE: 02

TERMS (cont'd):

PHONE NUMBER: (919) 804-2285

EMAIL: ROMANANDREW@JOHNDEERE.COM

PROCESSING FEE

1.

CONTRACTOR SHALL PAY AN ELECTRONIC TRANSACTION FEE TO THE STATE IN THE AMOUNT OF ONE PERCENT (1%) OF THE TOTAL CONTRACT SALES. THE ELECTRONIC TRANSACTION FEE IS CALCULATED BASED ON ALL SALES TRANSACTED UNDER THE CONTRACT, MINUS, ANY RETURNS OR CREDITS. THE PROCESSING FEE SHALL NOT BE CHARGED DIRECTLY TO THE CUSTOMER, E.G., AS A SEPARATE LINE ITEM, FEE OR SURCHARGE, BUT SHALL BE INCLUDED IN THE CONTRACTS UNIT PRICES

2.

THE ELECTRONIC TRANSACTION FEE SHALL BE SUBMITTED TO THE DEPARTMENT OF GENERAL SERVICES, FISCAL SERVICES DIVISION, 301 W. PRESTON STREET, ROOM 1309, BALTIMORE, MD., 21201, WITHIN TEN(10) CALENDAR DAYS FOLLOWING THE END OF EACH CALENDAR MONTH ALONG WITH A MONTHLY USAGE REPORT DOCUMENT REPORT DOCUMENTING SALES. AN EXCEL VERSION OF THE MONTHLY USAGE REPORT TO THE PROCUREMENT OFFICER AND AWAWU SALAKO, AT AWAWU.SALAKO@MARYLAND.GOV

3.

FAILURE TO REMIT PROCESSING FEES IN A TIMELY MANNER OR REMITTANCE OF FEES INCONSISTENT WITH THE CONTRACT'S REQUIREMENT MAY RESULT IN THE STATE EXERCISING ALL RECOURSE AVAILABLE UNDER THE CONTRACT INCLUDING, BUT NOT LIMITED TO, A THIRD PARTY AUDIT OF ALL CONTRACT ACTIVITY. SHOULD AN AUDIT BE REQUIRED BY THE STATE, THE CONTRACTOR SHALL REIMBURSE THE STATE FOR ALL COSTS ASSOCIATED WITH THE AUDIT UP TO \$10,000.00 OR ONE (1%) PERCENT OF THE CONTRACT'S ESTIMATED ANNUAL VALUE, WHICH EVER IS HIGHER.

PURSUANT TO ARTICLE 41, SECTION 18-201 OF THE ANNOTATED CODE OF MARYLAND, EXCEPT AS PROVIDED IN (B) THE FOLLOWING ENTITIES MAY PURCHASE MATERIALS, SUPPLIES, AND EQUIPMENT UNDER THIS CONTRACT:

- (1) A COUNTY OR BALTIMORE CITY;
- (2) A MUNICIPAL CORPORATION;
- (3) A GOVERNMENTAL AGENCY IN THE STATE;
- (4) A PUBLIC OR QUASI-PUBLIC AGENCY THAT:

(I) RECEIVES STATE MONEY; AND

(II) IS EXEMPT FROM TAXATION UNDER SECTION 501(C)(3) OF THE INTERNAL REVENUE CODE:

- (5) A PRIVATE ELEMENTARY OR SECONDARY SCHOOL THAT:

(I) EITHER HAS BEEN ISSUED A CERTIFICATE OR APPROVAL FROM

*** CONTINUED, NEXT PAGE ***

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

O NO: 001B6400535

PRINT DATE: 02/14/19

PAGE: 03

TERMS (cont'd):

THE STATE BOARD OF EDUCATION OR IS ACCREDITED BY THE ASSOCIATION OF INDEPENDENT SCHOOLS; AND

(II) IS EXEMPT FROM TAXATION UNDER SECTION 501 (C) (3) OF THE INTERNAL REVENUE CODE:

OR

(6) A NONPUBLIC INSTITUTION OF HIGHER EDUCATION UNDER SECTION 17-106 OF THE EDUCATION ARTICLE.

A PRIVATE ELEMENTARY OR SECONDARY SCHOOL OR A NONPUBLIC INSTITUTION OF HIGHER EDUCATION MAY NOT PURCHASE RELIGIOUS MATERIALS UNDER THIS CONTRACT

THE RIGHT TO PURCHASE UNDER THIS SECTION SHALL BE IN ADDITION TO, BUT NOT IN SUBSTITUTION FOR, THE APPLICABLE PURCHASING POWER GRANTED TO ANY OF THE LISTED ENTITIES PURSUANT TO ANY STATUTORY OR CHARTER PROVISION.

ALL PURCHASES UNDER THIS CONTRACT BY ANY SUCH ENTITY WHICH IS NOT A UNIT OR AGENCY OF THE STATE OF MARYLAND FOR WHICH THE STATE OF MARYLAND MAY BE HELD LIABLE IN CONTRACT (1) SHALL NOT CONSTITUTE A PURCHASE OR CONTRACT BETWEEN THE CONTRACTOR AND THAT ENTITY ONLY, (2) SHALL NOT CONSTITUTE A PURCHASE OR CONTRACT OF THE STATE OF MARYLAND, (3) SHALL NOT BE BINDING OR ENFORCEABLE AGAINST THE STATE OF MARYLAND OR ANY OF ITS UNITS OR AGENCIES, AND (4) MAY BE SUBJECT TO OTHER TERMS AND CONDITIONS AGREED TO BY THE CONTRACTOR, AND THE PURCHASER. CONTRACTOR BEARS THE RISK OF DETERMINING WHETHER OR NOT ANY ENTITY FROM WHICH THE CONTRACTOR RECEIVES AN ORDER UNDER THE CONTRACT IS A UNIT OR AGENCY OF THE STATE OF MARYLAND SUCH THAT THE CONTRACT MAY BE ENFORCED AGAINST THE STATE OF MARYLAND.

THE DEPARTMENT OF GENERAL SERVICES' "TERMS AND CONDITIONS FOR COMMODITY CONTRACTS OVER \$25,000" AND ALL SPECIFICATIONS, TERMS AND CONDITIONS OF SOLICITATION #MDDGS31023032/DGSR6400184 INCORPORATED HEREIN BY REFERENCE.

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B6400535

PRINT DATE: 02/14/19

PAGE: 04

<u>LINE #</u>	<u>STATE ITEM ID</u>	<u>U/M</u>	<u>UNIT COST</u>	
0001	51556	EA	7,842.1200	
COMMERCIAL GRADE ZERO TURN MOWERS 48" MOWING DECK OR APPROVED EQUAL.				
0002	51556	EA	8,372.5200	
COMMERCIAL GRADE ZERO TURN MOWERS 52" MOWING DECK OR APPROVED EQUAL				
0003	51556	EA	8,910.7200	
COMMERCIAL GRADE ZERO TURN MOWER 60" MOWING DECK OR APPROVED EQUAL				
0004	51556	EA	9,331.9200	
MOWERS, LAWN, RIDING TYPE				
COMMERCIAL GRADE ZERO TURN MOWER 72" MOWING DECK OR APPROVED EQUAL				
END OF ITEM LIST				

THIS PROCUREMENT WAS CONDUCTED AS A COMPETITIVE SEALED BID.
THE AWARD WAS MADE TO THE LOWEST RESPONSIVE BID AND RESPONSIBLE
BIDDERS (BASIS FOR AWARD).

VENDOR MUST INCLUDE THE 9-DIGIT ZIP CODE OF COMPANY ADDRESS ON ALL
INVOICES. FAILURE TO DO SO MAY RESULT IN DELAY OF PAYMENT.

ALL PRODUCTS USED IN PACKING TO CUSHION AND PROTECT DURING THE
SHIPMENT OF COMMODITIES ARE TO BE MADE OF RECYCLED, RECYCLABLE,
AND/OR BIODEGRADABLE MATERIALS.

***** LAST PAGE *****

AUTHORIZED BY: _____ DATE: _____
BUYER AUTHORIZED DESIGNEE

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915E ZTrak Equipment for Base Machine

<p>25 HP*</p> <p>Vertical-Shaft Air Cooled Engine (44.2 Cu. In.) 725cc, 17.8 kW</p> <p>Full Pressure Lubrication System with Replaceable Oil Filter</p> <p>Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element</p> <p>12 Volt with 15 AMP Regulated Charge System</p> <p>Dual Hydrostatic Wheel Drive</p> <p>TuffTorq Heavy Duty Ground Drive</p> <p>Hand Actuated Parking Brake</p> <p>Steel Channel Frame</p> <p>Operator Presence System</p> <p>Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt</p> <p>48 In. 7-Iron II Side Discharge Mower Deck</p> <p>7-Gauge Stamped Steel Mower Deck</p> <p>8 In. Aluminum Spindle Housing</p> <p>One-Touch Dial and Foot Spring Assisted Height of Cut Adjustment</p> <p>Single-Turn Deck Transport Lock</p>	<p>System</p> <p>Full Floating Suspension Deck</p> <p>1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments</p> <p>Dual Lever Direction/Speed Control</p> <p>Wide Control Lever Bends for Increased Operator Comfort</p> <p>Quick-Service Removable Foot Platform</p> <p>10.0 MPH Travel Speed</p> <p>11.5 U.S. Gallon Fuel Capacity</p> <p>24x9.5-12 In. Square Shoulder 4PR Turf Drive Tires (48 In.)</p> <p>24x12-12 In. Square Shoulder 4PR Turf Drive Tires (54 In. & 60 In.)</p> <p>13x5-6 Pneumatic Front Caster Tires</p> <p>Right Hand Control Console Cluster</p> <p>Cup Holder</p> <p>Fuel Gauge</p> <p>Electric PTO Clutch</p> <p>Digital Hourmeter</p> <p>*@ 3600 RPM engine manufacturer</p>	<p>certified</p> <p>gross power tested in accordance with SAE J1940, 725cc.</p> <p>The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only.</p> <p>Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Raleigh, North Carolina</i>			
2501TC		Z915E ZTrak	8,999.00
DESTINATION			
001A		United States/Canada	In Base Price
0195		Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost
MOWER DECKS			
1500		48 In. Side Discharge Mower Deck <i>48 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1035.</i>	In Base Price
1502		54 In. Side Discharge Mower Deck <i>54 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1036.</i>	270.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915E ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1504		MOWER DECKS Continued... 60 In. Side Discharge Mower Deck 60 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1036.	540.00

SEAT

2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation Includes Isolation System to Reduce Shock/Vibration	195.00

DRIVE WHEELS AND TIRES

1035		24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00

ATTACHMENTS FOR FIELD CONVERSION

Anti-scalp Wheels		
BTC10445	Rear Anti-Scalp Wheel Kit (1219.2-mm (48-in.) Deck) <i>For all Z900 B and E Series with 48" 7-Iron II side discharge decks.</i>	181.90
BTC10442	Rear Anti-Scalp Wheel Kit (1371.6-mm (54-in.) Deck) <i>For 54" 7-Iron II Deck fitted to Z900B and E-Series only.</i>	181.90
BTC10591	Rear Anti-Scalp Wheel Kit (1524-mm (60-in.) Deck) <i>For all Z900 B and E Series with 60" 7-Iron II side discharge decks.</i>	181.90
Lighting		
LP40112	Beacon Light Kit	251.00
TCB11281	Front Light (2) Kit	256.80
Miscellaneous		
TCU31258	Cast Iron Bumper	417.74
TCB11531	Hitch Kit	37.46
BTC10906	Jack Kit	227.91
LPA11548	Sun Canopy	169.00
TCB11248	Trash Receptacle Kit	103.79
Mulch Kits		
TCB10952	Mulch Kit (1219.2-mm (48-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	310.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915E ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TCB11469	Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		Seat	
	BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
		Spark Arrester	
	AM115838	Spark Arrester Screen	31.40
		Striping Kits	
	BTC10285	Rubber Flap Striping Kit for 1219.2-mm (48-in.) Deck	436.56
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M ZTrak Equipment for Base Machine

23.5 HP*
Vertical-Shaft Air Cooled Engine
(44.3 Cu. In.)
726cc, 17.5 kW Full Pressure
Lubrication System
with Replaceable Oil Filter
Heavy Duty Canister Air Cleaner;
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt with 20 AMP Regulated
Charge System
Dual Hydrostatic Wheel Drive
TuffTorg Heavy Duty Ground Drive
Hand Actuated Parking Brake
Steel Channel Frame
Operator Presence System
Folding Two Post ROPS (Roll-
Over Protective Structure)
and Seat Belt
48 In. 7-Iron PRO Side Discharge
Mower Deck
7-Gauge Stamped Steel Mower Deck
8 In. Aluminum Spindle Housing
Rear Anti-Scalp Wheels
One-Touch Dial and
Foot Spring Assisted Height of

Cut Adjustment
Single-Turn Deck Transport Lock
System
Full Floating Suspension Deck
1.0 - 5.5 In. Cutting Heights in
0.25 In. Increments
Dual Lever Direction/Speed
Control
Wide Control Lever Bends for
Increased Operator Comfort
Quick-Service Removable Foot
Platform
10 MPH Travel Speed
11.5 U.S. Gallon Fuel Capacity
24x9.5-12 In. Square Shoulder
4PR Turf Drive Tires (48 In.)
24x12-12 In. Square Shoulder 4PR
Turf Drive Tires (54 In. & 60
In.)
13x6.5-6 Semi-Pneumatic Front
Caster Tires
Rear Bumper Right Hand Control
Console
Cluster Cup Holder
Fuel Gauge Electric PTO Clutch
Digital Hourmeter

*@ 3600 RPM engine manufacturer
certified gross power
tested in accordance with SAE
J1995, 726cc.
The engine horsepower and torque
information
is provided by the engine
manufacturer
to be used for comparison
purposes only.
Actual operating horsepower and
torque
will be less. Refer to the
engine manufacturer's web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2145TC	Z920M ZTrak	10,149.00
--------	-------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1500	48 In. Side Discharge Mower Deck 48 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1035.</i>	In Base Price
1502	54 In. Side Discharge Mower Deck 54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	270.00
1504	60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp	540.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
<i>Wheels.</i>			
<i>Requires Tires & Wheels option code 1036 or 1038.</i>			
1501		48 In. Mulch On Demand Mower Deck 48 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1035.</i>	870.00

SEAT

2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00

DRIVE WHEELS AND TIRES

1035		24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00

ATTACHMENTS FOR FIELD CONVERSION

Lighting			
LP40112		Beacon Light Kit	251.00
TCB11281		Front Light (2) Kit	256.80
Miscellaneous			
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79
Mulch Kits			
TCB10952		Mulch Kit (1219.2-mm (48-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	310.30
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Seat	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Spark Arrester	
AM115838		Spark Arrester Screen	31.40
		Striping Kits	
BTC10285		Rubber Flap Striping Kit for 1219.2-mm (48-in.) Deck	436.56
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M ZTrak (California)

Equipment for Base Machine

23.5 HP*
Vertical-Shaft Air Cooled Engine
(44.3 Cu. In.) 726cc, 17.5 kW
Full Pressure Lubrication System
with Replaceable Oil Filter
Heavy Duty Canister Air Cleaner;
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt with 20 AMP Regulated
Charge System
Dual Hydrostatic Wheel Drive
TuffTorq Heavy Duty Ground Drive
Hand Actuated Parking Brake
Steel Channel Frame
Operator Presence System
Folding Two Post ROPS
(Roll-Over Protective
Structure) and Seat Belt
48 In. 7-Iron PRO Side Discharge
Mower Deck
7-Gauge Stamped Steel Mower Deck
8 In. Aluminum Spindle Housing
Rear Anti-Scalp Wheels
One-Touch Dial
and Foot Spring Assisted Height

of Cut Adjustment
Single-Turn Deck Transport Lock
System
Full Floating Suspension Deck
1.0 - 5.5 In. Cutting Heights in
0.25 In. Increments
Lever Direction/Speed Control
Wide Control Lever Bends for
Increased Operator Comfort
Quick-Service Removable Foot
Platform
10 MPH Travel Speed
11.5 U.S. Gallon Fuel Capacity
24x12-12 In. Square Shoulder 4PR
Turf Drive Tires (54 In.)
13x6.5-6 Semi-Pneumatic Front
Caster Tires
Rear Bumper
Right Hand Control Console
Cluster
Cup Holder
Fuel Gauge
Electric PTO Clutch
Digital Hourmeter
*@ 3600 RPM engine manufacturer

certified gross power
tested in accordance with SAE
J1995, 726cc.
The engine horsepower and torque
information
is provided by the engine
manufacturer
to be used for comparison
purposes only.
Actual operating horsepower and
torque will be less.
Refer to the engine
manufacturer's web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2144TC	Z920M ZTrak (California) <i>Base code 2144TC is a 50 state compliant SKU for ordering by California dealers only.</i>	10,149.00
--------	--------------------------------------------------------------------------------------------------------------------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

MOWER DECKS

1500	48 In. Side Discharge Mower Deck <i>48 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1035.</i>	In Base Price
1502	54 In. Side Discharge Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	270.00

SEAT

2000	Deluxe Comfort Seat with Armrests	In Base Price
------	-----------------------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M ZTrak (California)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2001		SEAT Continued... Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00

DRIVE WHEELS AND TIRES

1035		24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00

ATTACHMENTS FOR FIELD CONVERSION

	Lighting		
LP40112	Beacon Light Kit		251.00
TCB11281	Front Light (2) Kit		256.80
	Miscellaneous		
TCB11531	Hitch Kit		37.46
BTC10906	Jack Kit		227.91
LPA11548	Sun Canopy		169.00
TCB11248	Trash Receptacle Kit		103.79
	Mulch Kits		
TCB10952	Mulch Kit (1219.2-mm (48-in.) 7-Iron, 7-Iron II and 7-Iron PRO)		310.30
TCB11469	Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)		322.07
	Seat		
BUC10649	Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>		44.94
BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>		269.64
BUC10467	Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>		788.59
	Spark Arrestor		
AM115838	Spark Arrestor Screen		31.40
	Striping Kits		
BTC10285	Rubber Flap Striping Kit for 1219.2-mm (48-in.) Deck		436.56
BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks		456.89

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M ZTrak (California)

Continued

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M Flex Fuel ZTrak Equipment for Base Machine

25 HP*
Vertical-Shaft Air Cooled
Electronically Fuel Injected
Closed Loop System
Flex Fuel (E0 to E85)
Engine (45.6 Cu. In.) 747cc,
18.3 kW
Full Pressure Lubrication System
with Replaceable Oil Filter
Heavy Duty Canister Air Cleaner;
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt with 20 AMP Regulated
Charge System
Dual Hydrostatic Wheel Drive
TuffTorq Heavy Duty Ground Drive
Hand Actuated Parking Brake
Steel Channel Frame
Operator Presence System
Folding Two Post ROPS
(Roll-Over Protective
Structure) and Seat Belt
54 In. 7-Iron PRO Side Discharge
Mower Deck
7-Gauge Stamped Steel Mower Deck
8 In. Aluminum Spindle Housing
Rear Anti-Scalp Wheels

One-Touch Dial
and Foot Spring Assisted Height
of Cut Adjustment
Single-Turn Deck Transport Lock
System
Full Floating Suspension Deck
1.0 - 5.5 In. Cutting Heights in
0.25 In. Increments
Dual Lever Direction/Speed
Control
Wide Control Lever Bends
for Increased Operator Comfort
Quick-Service Removable Foot
Platform
10 MPH Travel Speed
11.5 U.S. Gallon Fuel Capacity
24x12-12 In. Square Shoulder 4PR
Turf Drive Tires 13x6.5-6
Semi-Pneumatic Front Caster
Tires
Rear Bumper
Right Hand Control Console
Cluster
Cup Holder
Fuel Gauge
Electric PTO Clutch
Digital Hourmeter

*@ 3600 RPM engine manufacturer
certified
gross power tested in accordance
with SAE J1995, 747cc.
The engine horsepower and torque
information
is provided by the engine
manufacturer
to be used for comparison
purposes only.
Actual operating horsepower
and torque will be less.
Refer to the engine
manufacturer's
web site for additional
information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2154TC	Z925M Flex Fuel ZTrak <i>5-Sept-2018: deck option 1503 (54" MOD) is no longer available to order for Model Year 2018. Deck options 1502 and 1504 are still available.</i>	10,999.00
--------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1502	54 In. Side Discharge Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	270.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M Flex Fuel ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
1503		54 In. Mulch On Demand Mower Deck 54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
ATTACHMENTS FOR FIELD CONVERSION			
Lighting			
LP40112		Beacon Light Kit	251.00
TCB11281		Front Light (2) Kit	256.80
Miscellaneous			
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79
Mulch Kits			
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
Seat			
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B.E.M and R gas machines.</i>	269.64

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M Flex Fuel ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BUC10467	Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Spark Arrestor	
	AM115838	Spark Arrestor Screen	31.40
		Striping Kits	
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M EFI ZTrak Equipment for Base Machine

25 HP*
Vertical-Shaft Air Cooled
Electronically Fuel Injected
Closed Loop System
Engine (45.6 Cu. In.) 747cc,
18.3 kW
Full Pressure Lubrication System
with Replaceable Oil Filter
Heavy Duty Canister Air Cleaner;
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt with 20 AMP Regulated
Charge System
Dual Hydrostatic Wheel Drive
TuffTorq Heavy Duty Ground Drive
Hand Actuated Parking Brake
Steel Channel Frame
Operator Presence System
Folding Two Post ROPS
(Roll-Over Protective
Structure) and Seat Belt
54 In. 7-Iron PRO Side Discharge
Mower Deck
7-Gauge Stamped Steel Mower Deck
8 In. Aluminum Spindle Housing
Rear Anti-Scalp Wheels

One-Touch Dial
and Foot Spring Assisted Height
of Cut Adjustment
Single-Turn Deck Transport Lock
System
Full Floating Suspension Deck
1.0 - 5.5 In. Cutting Heights in
0.25 In. Increments
Dual Lever Direction/Speed
Control
Wide Control Lever Bends
for Increased Operator Comfort
Quick-Service Removable Foot
Platform
10 MPH Travel Speed
11.5 U.S. Gallon Fuel Capacity
24x12-12 In. Square Shoulder 4PR
Turf Drive Tires 13x6.5-6
Semi-Pneumatic Front Caster
Tires
Rear Bumper
Right Hand Control Console
Cluster
Cup Holder
Fuel Gauge
Electric PTO Clutch

Digital Hourmeter
*@ 3600 RPM engine manufacturer
certified
gross power tested in accordance
with SAE J1995, 747cc.
The engine horsepower and torque
information
is provided by the engine
manufacturer to be used for
comparison purposes only.
Actual operating horsepower and
torque will be less.
Refer to the engine
manufacturer's web site for
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2155TC	Z925M EFI ZTrak	11,299.00
--------	-----------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1502	54 In. Side Discharge Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	270.00
1503	54 In. Mulch On Demand Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp</i>	870.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M EFI ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
<i>Wheels.</i>			
<i>Requires Tires & Wheels option code 1036 or 1038.</i>			
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
ATTACHMENTS FOR FIELD CONVERSION			
Lighting			
LP40112		Beacon Light Kit	251.00
TCB11281		Front Light (2) Kit	256.80
Miscellaneous			
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79
Mulch Kits			
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
Seat			
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M EFI ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BUC10467	Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Spark Arrestor	
	AM115838	Spark Arrestor Screen	31.40
		Striping Kits	
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M ZTrak

Equipment for Base Machine

25.5 HP*
 Vertical-Shaft Air Cooled Engine
 (52.0 Cu. In.) 852cc, 19.0 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air Cleaner;
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame Operator
 Presence System
 Folding Two Post ROPS
 (Roll-Over Protective
 Structure) and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and
 Foot Spring Assisted Height of

Cut Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends
 for Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder 4PR
 Turf Drive Tires (60" & 72")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter

*@ 3600 RPM engine manufacturer
 certified gross power
 tested in accordance with SAE
 J1995, 852cc.
 The engine horsepower and
 torque information is provided
 by the engine manufacturer
 to be used for comparison
 purposes only.
 Actual operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2167TC	Z930M ZTrak	11,049.00
--------	-------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1502	54 In. Side Discharge Mower Deck 54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	-270.00
1504	60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1503	54 In. Mulch On Demand Mower Deck 54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.	600.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
<i>Requires Tires & Wheels option code 1036 or 1038.</i>			
1505		60 In. Mulch On Demand Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00

ATTACHMENTS FOR FIELD CONVERSION

Lighting			
LP40112		Beacon Light Kit	251.00
TCB11281		Front Light (2) Kit	256.80
Miscellaneous			
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79
Mulch Kits			
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
Seat			
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
	BUC10467	Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
	AM115838	Spark Arrester Spark Arrester Screen	31.40
	BTC10286	Striping Kits Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M ZTrak (California)

Equipment for Base Machine

25.5 HP*
Vertical-Shaft Air Cooled Engine
(52.0 Cu. In.) 852cc, 19.0 kW
Full Pressure Lubrication System
with Replaceable Oil Filter
Heavy Duty Canister Air Cleaner;
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt with 20 AMP Regulated
Charge System
Dual Hydrostatic Wheel Drive
TuffTorq Heavy Duty Ground Drive
Hand Actuated Parking
Brake Steel Channel Frame
Operator Presence System
Folding Two Post ROPS
(Roll-Over Protective
Structure) and Seat Belt
60 In. 7-Iron PRO Side Discharge
Mower Deck
7-Gauge Stamped Steel Mower Deck
8 In. Aluminum Spindle Housing
Rear Anti-Scalp Wheels
One-Touch Dial and
Foot Spring Assisted Height of

Cut Adjustment
Single-Turn Deck Transport Lock
System
Full Floating Suspension Deck
1.0 - 5.5 In. Cutting Heights in
0.25 In. Increments
Dual Lever Direction/Speed
Control
Wide Control Lever Bends
for Increased Operator Comfort
Quick-Service Removable Foot
Platform
10 MPH Travel Speed
11.5 U.S. Gallon Fuel Capacity
24x12-12 In. Square Shoulder 4PR
Turf Drive Tires (60" & 72")
13x6.5-6 Semi-Pneumatic Front
Caster Tires
Rear Bumper
Right Hand Control Console
Cluster
Cup Holder
Fuel Gauge
Electric PTO Clutch
Digital Hourmeter

*@ 3600 RPM engine manufacturer
certified gross power tested
in accordance with SAE J1995,
852cc.
The engine horsepower and torque
information
is provided by the engine
manufacturer
to be used for comparison
purposes only.
Actual operating horsepower
and torque will be less. Refer
to the engine
manufacturer's web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2166TC	Z930M ZTrak (California) <i>Base code 2166TC is a 50 state compliant SKU for ordering by California dealers only.</i>	11,049.00
--------	--------------------------------------------------------------------------------------------------------------------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

MOWER DECKS

1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------

SEAT

2000	Deluxe Comfort Seat with Armrests	In Base Price
2001	Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002	Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M ZTrak (California)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

SEAT Continued...

DRIVE WHEELS AND TIRES

1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00

ATTACHMENTS FOR FIELD CONVERSION

	Lighting		
LP40112	Beacon Light Kit		251.00
TCB11281	Front Light (2) Kit		256.80
	Miscellaneous		
TCB11531	Hitch Kit		37.46
BTC10906	Jack Kit		227.91
LPA11548	Sun Canopy		169.00
TCB11248	Trash Receptacle Kit		103.79
	Mulch Kits		
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)		334.91
	Seat		
BUC10649	Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>		44.94
BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>		269.64
BUC10467	Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>		788.59
	Spark Arrestor		
AM115838	Spark Arrestor Screen		31.40
	Striping Kits		
BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks		456.89

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z945M EFI ZTrak Equipment for Base Machine

27 HP*
Vertical-Shaft Air Cooled
Electronically Fuel Injected
Closed Loop System
Engine (45.6 Cu. In.)
824cc, 20.1 kW
Full Pressure Lubrication System
with Replaceable Oil Filter
Heavy Duty Canister Air
Cleaner; Dry Replaceable
Filter Element with
Secondary Safety Element
12 Volt with 20 AMP Regulated
Charge System
Dual Hydrostatic Wheel Drive
TuffTorq Heavy Duty Ground Drive
Hand Actuated Parking Brake
Steel Channel Frame
Operator Presence System
Folding Two Post ROPS (Roll-
Over Protective Structure)
and Seat Belt
60 In. 7-Iron PRO Side Discharge
Mower Deck
7-Gauge Stamped Steel Mower Deck
8 In. Aluminum Spindle Housing
Rear Anti-Scalp Wheels

One-Touch Dial and Foot Spring
Assisted Height of Cut
Adjustment
Single-Turn Deck Transport Lock
System
Full Floating Suspension Deck
1.0 - 5.5 In. Cutting Heights
in 0.25 In. Increments
Dual Lever Direction/Speed
Control
Wide Control Lever Bends for
Increased Operator Comfort
Quick-Service Removable Foot
Platform
10 MPH Travel Speed
11.5 U.S. Gallon Fuel Capacity
24x12-12 In. Square Shoulder
4PR Turf Drive Tires
13x6.5-6 Semi-Pneumatic Front
Caster Tires
Rear Bumper
Right Hand Control Console
Cluster
Cup Holder
Fuel Gauge
Electric PTO Clutch
Digital Hourmeter

* @ 3600 RPM engine manufacturer
certified
gross power tested in accordance
with SAE
J1995, 824cc. The engine
horsepower and
torque information is provided
by the engine
manufacturer to be used for
comparison
purposes only. Actual operating
horsepower
and torque will be less. Refer
to the engine
manufacturer's web site for
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2510TC	Z945M EFI ZTrak	11,849.00
--------	-----------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1505	60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	870.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z945M EFI ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
	LP40112	Beacon Light Kit	251.00
	TCB11281	Front Light (2) Kit	256.80
		Miscellaneous	
	TCB11531	Hitch Kit	37.46
	BTC10906	Jack Kit	227.91
	LPA11548	Sun Canopy	169.00
	TCB11248	Trash Receptacle Kit	103.79
		Mulch Kits	
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		Seat	
	BUC10649	Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
	BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
	BUC10467	Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Spark Arrester	
	AM115838	Spark Arrester Screen	31.40
		Striping Kits	
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z945M EFI ZTrak

Continued

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z955M EFI ZTrak Equipment for Base Machine

29 HP* Vertical-Shaft Air Cooled Electronically Fuel Injected Closed Loop System Engine (45.6 Cu. In.) 824cc, 21.6 kW Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 20 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive Hand Actuated Parking Brake Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt 60 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower	Deck 8 In. Aluminum Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Foot Spring Assisted Height of Cut Adjustment Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 10 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x12-12 In. Square Shoulder 4PR Turf Drive Tires 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge	Electric PTO Clutch Digital Hourmeter * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 824cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2520TC	Z955M EFI ZTrak	12,269.00
--------	-----------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1504	60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1505	60 In. Mulch On Demand Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
1506	72 In. Side Discharge Mower Deck	540.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z955M EFI ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
		72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1039.	
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation Includes Isolation System to Reduce Shock/Vibration	195.00
2002		Fully Adjustable Suspension Seat with Armrests Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.	495.00
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
LP40112		Beacon Light Kit	251.00
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79
		Mulch Kits	
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z955M EFI ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
		Seat	
	BUC10649	Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
	BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
	BUC10467	Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Spark Arrestor	
	AM115838	Spark Arrestor Screen	31.40
		Striping Kits	
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
	BTC10287	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M ZTrak Equipment for Base Machine

27.0 HP*
Vertical-Shaft Air Cooled Engine
(52.0 Cu. In.) 852cc, 20.1 kW
Full Pressure Lubrication System
with Replaceable Oil Filter
Heavy Duty Canister Air Cleaner;
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt with 20 AMP Regulated
Charge System
Dual Hydrostatic Wheel Drive
TuffTorq Heavy Duty Ground Drive
Hand Actuated Parking Brake
Steel Channel Frame
Operator Presence System
Folding Two Post ROPS
(Roll- Over Protective
Structure) and Seat Belt
60 In. 7-Iron PRO Side Discharge
Mower Deck
7-Gauge Stamped Steel Mower Deck
8 In. Aluminum Spindle Housing
Rear Anti-Scalp Wheels
One-Touch Dial and
Foot Spring Assisted Height of

Cut Adjustment
Single-Turn Deck Transport Lock
System
Full Floating Suspension Deck
1.0 - 5.5 In. Cutting Heights in
0.25 In. Increments
Dual Lever Direction/Speed
Control
Wide Control Lever Bends for
Increased Operator Comfort
Quick-Service Removable Foot
Platform
10 MPH Travel Speed
11.5 U.S. Gallon Fuel Capacity
24x12-12 In. Square Shoulder 4PR
Turf Drive Tires (60" & 72")
13x6.5-6 Semi-Pneumatic Front
Caster Tires
Rear Bumper
Right Hand Control Console
Cluster
Cup Holder Fuel Gauge
Electric PTO Clutch
Digital Hourmeter
*@ 3600 RPM engine manufacturer

certified gross power
tested in accordance with SAE
J1995, 852cc.
The engine horsepower and torque
information
is provided by the engine
manufacturer
to be used for comparison
purposes only.
Actual operating horsepower and
torque will be less.
Refer to the engine
manufacturer's web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0692TC	Z950M ZTrak	11,479.00
--------	-------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost
------	--------------------------------------------------------------------------------------------------	---------------

MOWER DECKS

1504	60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------

1505	60 In. Mulch On Demand Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

1506	72 In. Side Discharge Mower Deck 72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.	540.00
------	-----------------------------------------------------------------------------------------------------------------------------------------------------	--------

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

MOWER DECKS Continued...

Requires Tires & Wheels option code 1037 or 1039.

SEAT

2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00

DRIVE WHEELS AND TIRES

1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00

ATTACHMENTS FOR FIELD CONVERSION

	Lighting		
LP40112	Beacon Light Kit		251.00
TCB11281	Front Light (2) Kit		256.80
	Miscellaneous		
TCB11531	Hitch Kit		37.46
BTC10906	Jack Kit		227.91
LPA11548	Sun Canopy		169.00
TCB11248	Trash Receptacle Kit		103.79
	Mulch Kits		
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)		334.91
TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)		344.54

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Seat			
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
Spark Arrestor			
AM115838		Spark Arrestor Screen	31.40
Striping Kits			
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
BTC10287		Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z960M ZTrak

Equipment for Base Machine

31.0 HP*
Vertical-Shaft Air Cooled Engine
(61.0 Cu. In.) 999cc, 23.1 kW
Full Pressure Lubrication System
with Replaceable Oil Filter
Heavy Duty Canister Air Cleaner;
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt with 20 AMP Regulated
Charge System
Dual Hydrostatic Wheel Drive
TuffTorq Heavy Duty Ground Drive
Hand Actuated Parking Brake
Steel Channel Frame
Operator Presence System
Folding Two Post ROPS
(Roll- Over Protective
Structure) and Seat Belt
60 In. 7-Iron PRO Side Discharge
Mower Deck
7-Gauge Stamped Steel Mower Deck
8 In. Aluminum Spindle Housing
Rear Anti-Scalp Wheels
One-Touch Dial and

Foot Spring Assisted Height of
Cut Adjustment
Single-Turn Deck Transport Lock
System
Full Floating Suspension Deck
1.0 - 5.5 In. Cutting Heights in
0.25 In. Increments
Dual Lever Direction/Speed
Control
Wide Control Lever Bends for
Increased Operator Comfort
Quick-Service Removable Foot
Platform
10 MPH Travel Speed
11.5 U.S. Gallon Fuel Capacity
24x12-12 In. Square Shoulder 4PR
Turf Drive Tires (60" & 72")
13x6.5-6 Semi-Pneumatic Front
Caster Tires
Rear Bumper Right Hand Control
Console Cluster
Cup Holder Fuel Gauge
Electric PTO Clutch
Digital Hourmeter

*@ 3600 RPM engine manufacturer
certified gross power
tested in accordance with SAE
J1995, 852cc.
The engine horsepower and torque
information
is provided by the engine
manufacturer
to be used for comparison
purposes only.
Actual operating horsepower and
torque
will be less. Refer to the
engine manufacturer's web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2231TC	Z960M ZTrak	12,219.00
--------	-------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1505	60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
1506	72 In. Side Discharge Mower Deck <i>72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1039.</i>	540.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z960M ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

MOWER DECKS Continued...

SEAT

2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00

DRIVE WHEELS AND TIRES

1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00

ATTACHMENTS FOR FIELD CONVERSION

	Lighting		
LP40112	Beacon Light Kit		251.00
TCB11281	Front Light (2) Kit		256.80
	Miscellaneous		
TCB11531	Hitch Kit		37.46
BTC10906	Jack Kit		227.91
LPA11548	Sun Canopy		169.00
TCB11248	Trash Receptacle Kit		103.79
	Mulch Kits		
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)		334.91
TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)		344.54

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z960M ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Seat	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Spark Arrestor	
AM115838		Spark Arrestor Screen	31.40
		Striping Kits	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
BTC10287		Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R ZTrak Equipment for Base Machine

25.5 HP*
Vertical-Shaft Air Cooled Engine
(52.0 Cu. In.) 852cc, 19.0 kW
Full Pressure Lubrication System
with Replaceable Oil Filter
Heavy Duty Canister Air Cleaner;
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt with 20 AMP Regulated
Charge System
Dual Hydrostatic Wheel Drive
TuffTorq Heavy Duty Ground Drive
With Cross Porting
Foot Actuated Parking Brake
Steel Channel Frame
Operator Presence System
Folding Two Post ROPS
(Roll- Over Protective
Structure) and Seat Belt
54 In. 7-Iron PRO Side Discharge
Mower Deck
7-Gauge Stamped Steel Mower Deck
8 In. Aluminum Spindle Housing
Rear Anti-Scalp Wheels
One-Touch Dial and Power Height
of Cut Adjustment

Ergonomic Operator Contoured
Soft Touch Grips
and Integrated Handle Controls
Single-Turn Deck Transport Lock
System
Full Floating Suspension Deck
1.0 - 5.5 In. Cutting Heights in
0.25 In. Increments
Dual Lever Direction/Speed
Control
Wide Control Lever Bends for
Increased Operator Comfort
Quick-Service Removable Foot
Platform
12 MPH Travel Speed
11.5 U.S. Gallon Fuel Capacity
24x12-12 In. Square Shoulder 4PR
Turf Drive Tires 13x6.5-6
Semi-Pneumatic Front Caster
Tires
Rear Bumper
Right Hand Control Console
Cluster
Cup Holder
Fuel Gauge
Electric PTO Clutch

Digital Hourmeter and Diagnostic
Pkg.
*@ 3600 RPM engine manufacturer
certified gross power
tested in accordance with SAE
J1995, 852cc.
The engine horsepower and torque
information
is provided by the engine
manufacturer
to be used for comparison
purposes only.
Actual operating horsepower and
torque will be less.
Refer to the engine
manufacturer's web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2182TC	Z930R ZTrak	12,799.00
--------	-------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1502	54 In. Side Discharge Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	270.00
1503	54 In. Mulch On Demand Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp</i>	870.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

MOWER DECKS Continued...

Wheels.

Requires Tires & Wheels option code 1036 or 1038.

SEAT

2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00

DRIVE WHEELS AND TIRES

1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00

ATTACHMENTS FOR FIELD CONVERSION

Lighting			
LP40112	Beacon Light Kit		251.00
TCB11281	Front Light (2) Kit		256.80
Miscellaneous			
TCB11531	Hitch Kit		37.46
BTC10906	Jack Kit		227.91
LPA11548	Sun Canopy		169.00
TCB11248	Trash Receptacle Kit		103.79
Mulch Kits			
TCB11469	Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)		322.07
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)		334.91
Seat			
BUC10649	Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>		44.94
BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>		269.64

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BUC10467	Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Spark Arrestor	
	AM115838	Spark Arrestor Screen	31.40
		Striping Kits	
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950R ZTrak Equipment for Base Machine

27.0 HP*
Vertical-Shaft Air Cooled Engine
(52.0 Cu. In.) 852cc, 20.1 kW
Full Pressure Lubrication System
with Replaceable Oil Filter
Heavy Duty Canister Air Cleaner;
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt with 20 AMP Regulated
Charge System
Dual Hydrostatic Wheel Drive
TuffTorq Heavy Duty Ground Drive
With Cross Porting
Foot Actuated Parking Brake
Steel Channel Frame Operator
Presence System
Folding Two Post ROPS
(Roll-Over Protective
Structure) and Seat Belt
60 In. 7-Iron PRO Side Discharge
Mower Deck
7-Gauge Stamped Steel Mower Deck
8 In. Aluminum Spindle Housing
Rear Anti-Scalp Wheels
One-Touch Dial and Power Height
of Cut Adjustment

Ergonomic Operator Contoured
Soft Touch Grips
and Integrated Handle Controls
Single-Turn Deck Transport Lock
System
Full Floating Suspension Deck
1.0 - 5.5 In. Cutting Heights in
0.25 In. Increments
Dual Lever Direction/Speed
Control
Wide Control Lever Bends for
Increased Operator Comfort
Quick-Service Removable Foot
Platform
12 MPH Travel Speed
11.5 U.S. Gallon Fuel Capacity
24x12-12 In. Square Shoulder 4PR
Turf Drive Tires
13x6.5-6 Semi-Pneumatic Front
Caster Tires
Rear Bumper Right Hand Control
Console Cluster
Cup Holder
Fuel Gauge
Electric PTO Clutch
Digital Hourmeter and Diagnostic

Pkg.
*@ 3600 RPM engine manufacturer
certified gross power tested in
accordance with SAE J1995,
852cc.
The engine horsepower and torque
information
is provided by the engine
manufacturer
to be used for comparison
purposes only.
Actual operating horsepower and
torque will be less.
Refer to the engine
manufacturer's web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2192TC	Z950R ZTrak	13,499.00
--------	-------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1504	60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1505	60 In. Mulch On Demand Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
1506	72 In. Side Discharge Mower Deck 72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp	540.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950R ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
<i>Wheels.</i>			
<i>Requires Tires & Wheels option code 1037 or 1039.</i>			
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
ATTACHMENTS FOR FIELD CONVERSION			
Lighting			
LP40112		Beacon Light Kit	251.00
TCB11281		Front Light (2) Kit	256.80
Miscellaneous			
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79
Mulch Kits			
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
TCB10951		Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
Seat			

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950R ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BUC10649	Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
	BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
	BUC10467	Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
	AM115838	Spark Arrestor Spark Arrestor Screen	31.40
		Striping Kits	
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
	BTC10287	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z970R ZTrak Equipment for Base Machine

35.0 HP*
Vertical-Shaft Air Cooled Engine
(61.0 Cu. In.) 999cc, 26.1 kW)
Full Pressure Lubrication System
with Replaceable Oil Filter
Heavy Duty Canister Air Cleaner;
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt with 20 AMP Regulated
Charge System
Dual Hydrostatic Wheel Drive
TuffTorg Heavy Duty Ground Drive
With Cross Porting
Steel Channel Frame
Operator Presence System
Folding Two Post ROPS
(Roll- Over Protective
Structure) and Seat Belt
72 In. 7-Iron PRO Side Discharge
Mower Deck
7-Gauge Stamped Steel Mower Deck
8 In. Aluminum Spindle Housing
Rear Anti-Scalp Wheels
One-Touch Dial and Power Height
of Cut Adjustment
Ergonomic Operator Contoured

Soft Touch Grips
and Integrated Handle Controls
Single-Turn Deck Transport Lock
System
Full Floating Suspension Deck
1.0 - 5.5 In. Cutting Heights in
0.25 In. Increments
Dual Lever Direction/Speed
Control
Wide Control Lever Bends for
Increased Operator Comfort
Quick-Service Removable Foot
Platform
12 MPH Travel Speed
11.5 U.S. Gallon Fuel Capacity
24x12-12 In. Square Shoulder 4PR
Turf Drive Tires 13x6.5-6
Semi-Pneumatic Front Caster
Tires
Rear Bumper Right Hand Control
Console Cluster
Cup Holder
Fuel Gauge
Electric PTO Clutch
Digital Hourmeter and Diagnostic
Pkg.

*@ 3600 RPM engine manufacturer
certified gross power tested in
accordance with SAE J1995,
999cc.
The engine horsepower and torque
information
is provided by the engine
manufacturer
to be used for comparison
purposes only.
Actual operating horsepower and
torque will be less.
Refer to the engine
manufacturer's web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2212TC	Z970R ZTrak	15,429.00
--------	-------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1504	60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	-540.00
1505	60 In. Mulch On Demand Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	300.00
1506	72 In. Side Discharge Mower Deck 72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z970R ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
<i>Wheels.</i>			
<i>Requires Tires & Wheels option code 1037 or 1039.</i>			
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	In Base Price
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
ATTACHMENTS FOR FIELD CONVERSION			
Lighting			
LP40112		Beacon Light Kit	251.00
TCB11281		Front Light (2) Kit	256.80
Miscellaneous			
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79
Mulch Kits			
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
TCB10951		Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
Seat			

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z970R ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BUC10649	Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
	BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
	BUC10467	Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
	AM115838	Spark Arrestor Spark Arrestor Screen	31.40
		Striping Kits	
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
	BTC10287	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak (California)

Equipment for Base Machine

23.5 HP*	Assisted Height of Cut Adjustment	* @ 3600 RPM engine manufacturer certified
Vertical-Shaft Air Cooled Engine (44.3 Cu. In.)	Single-Turn Deck Transport Lock System	gross power tested in accordance with SAE
726cc, 17.5 kW	Full Floating Suspension Deck	J1995, 726cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Full Pressure Lubrication System with Replaceable Oil Filter	1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments	
Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element	Dual Lever Direction/Speed Control	
12 Volt with 20 AMP Regulated Charge System	Wide Control Lever Bends for Increased Operator Comfort	
Dual Hydrostatic Wheel Drive	Quick-Service Removable Foot Platform	
TuffTorq Heavy Duty Ground Drive	10 MPH Travel Speed	
Hand Actuated Parking Brake	11.5 U.S. Gallon Fuel Capacity	
Steel Channel Frame	24x12-12 In. Square Shoulder	
Operator Presence System	4PR Turf Drive Tires (54 In.)	
Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt	13x6.5-6 Semi-Pneumatic Front Caster Tires	
48 In. 7-Iron PRO Side Discharge Mower Deck	Rear Bumper	
7-Gauge Stamped Steel Mower Deck	Right Hand Control Console Cluster	
8 In. Aluminum Spindle Housing	Cup Holder	
Rear Anti-Scalp Wheels	Fuel Gauge	
One-Touch Dial and Foot Spring	Electric PTO Clutch	
	Digital Hourmeter	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2143TC	Z920M Commercial ZTrak (California) <i>For the following destinations and deck sizes, model year 2017 factory stock has been depleted. Machines might still be available from dealer inventory.</i> -001A United States/Canada, 1500 48" SD -001A United States/Canada, 1502 54" SD <i>(Last updated 9-Aug-2018)</i>	9,629.00
--------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

MOWER DECKS

1500	48 In. Side Discharge Mower Deck 48 In. 7-Iron PRO <i>This option is no longer available. Please use base code 2142TC to order a Z920M with 48 In. Side Discharge deck. (This configuration is 50 state compliant)</i>	In Base Price
1502	54 In. Side Discharge Mower Deck 54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck, 8 In. Aluminum Spindle Housings, Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1038.</i>	270.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak (California)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
DRIVE WHEELS AND TIRES			
1035		24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	849.00
ATTACHMENTS FOR FIELD CONVERSION			
Lighting			
LP40112		Beacon Light Kit	251.00
TCB11281		Front Light (2) Kit	256.80
Miscellaneous			
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
LPA11548		Sun Canopy	169.00
TCB11248		Trash Receptacle Kit	103.79
Mulch Kits			
TCB10952		Mulch Kit (1219.2-mm (48-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	310.30
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
Seat			
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BTC10908		Suspension Seat Kit <i>Compatible with MY16 and MY17 Z900 B, E, M, R gas machines only.</i>	819.61
Spark Arrester			
AM115838		Spark Arrester Screen	31.40
Striping Kits			
BTC10285		Rubber Flap Striping Kit for 1219.2-mm (48-in.) Deck	436.56

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak (California)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

24x12N12 Michelin X TWEEL TURF (2) for 54 In. and 60 In. Decks
Equipment for Base Machine

24x12N12 Tire Size for 54 In.
and 60 In. decks
Base code contains (2) TWEELS

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9982TC	24x12N12 Michelin X TWEEL TURF (2) for 54 In. and 60 In. Decks <i>Order code contains two Tweels. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc. For more information, visit www.JohnDeere.com/Tweel.</i>	1,099.00
--------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

24x12N12 Michelin X TWEEL TURF (2) for 72 In. Decks
Equipment for Base Machine

24x12N12 Tire Size for 72 In.
decks
Base code contains (2) TWEELs

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9983TC	24x12N12 Michelin X TWEEL TURF (2) for 72 In. Decks <i>Order code contains two Tweels. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc. For more information, visit www.JohnDeere.com/Tweel.</i>	1,099.00
--------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS

ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag MCS

Equipment for Base Machine

3-Bag Collection Hopper
14 Bushel Capacity
Steel Hopper Top
Mechanical Hopper Top Lock
Horizontal 7-Iron
Blower Configuration
Steel Blower Housing
5 Blade Commercial Impeller
35.56 cm (14 In.) Impeller
Diameter
Easy-To-Empty Bags

20.32 cm (8 In.) Diameter Chute to Change without Notice.
Quick Detach Blower
Weight Bracket

The Above Specifications are
Indicative of the Base Feature
Machine only and may Differ if
Alternative Options/Attachments
are Ordered.
Pricing and Specifications are
Recommended only and are Subject

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0788TC	14 Bushel 3-Bag MCS <i>For 48 In./54 In./60 In. Z900 B/E/M/R Series And 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks When installing 3-Bag MCS on Z900B and Z900E Models, Rear Anti-Scalp Wheel Kit is required. Not Compatible with Model Year 2012 and Prior ZTrak Mowers. Not Compatible with Michelin X Tweel Turf Tires WEIGHTS NOT INCLUDED. Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	3,119.00
--------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	No Added Cost
0195	Mexico	No Added Cost

ATTACHING PARTS

1005	Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 48" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	In Base Price
1006	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 60" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	No Added Cost
1007	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	No Added Cost
1008	Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 48" & 54" Mulch-on-Demand decks.</i>	130.00
1009	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 60" Mulch-on-Demand decks.</i>	130.00
1011	Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag MCS

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHING PARTS Continued...			
<i>For all Z900 B/E/M/R Series with 54" side discharge decks.</i>			
<i>DFS MCS for Z900 M & R Series only.</i>			
1010		Less Attaching Parts	-1,124.00
BLOWER			
2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-781.00
ATTACHMENTS FOR FIELD CONVERSION			
Anti-scalp Wheels			
BTC10445		Rear Anti-Scalp Wheel Kit (1219.2-mm (48-in.) Deck) <i>For 48" 7-Iron II Deck fitted to Z900B-Series only.</i> <i>For all Z900 B Series with 48" 7-Iron II side discharge decks.</i>	181.90
BTC10442		Rear Anti-Scalp Wheel Kit (1371.6-mm (54-in.) Deck) <i>For 54" 7-Iron II Deck fitted to Z900B-Series only.</i> <i>For all Z900 B Series with 54" 7-Iron II side discharge decks.</i>	181.90
BTC10591		Rear Anti-Scalp Wheel Kit (1524-mm (60-in.) Deck) <i>For 60" 7-Iron II Deck fitted to Z900B-Series only.</i> <i>For all Z900 B Series with 60" 7-Iron II side discharge decks.</i>	181.90
Attaching Parts			
BTC10221		Attaching Parts for 1219.2-mm (48-in.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks.</i> <i>DFS MCS for Z900 M & R Series only.</i> <i>For all Z900 B/M/R Series with 48" side discharge decks.</i> <i>DFS MCS for Z900 M & R Series only.</i>	1,288.29
BTC10363		Attaching Parts for 1371.6-mm (54-in.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks.</i> <i>DFS MCS for Z900 M & R Series only.</i> <i>For all Z900 B/M/R Series with 54" side discharge decks.</i> <i>DFS MCS for Z900 M & R Series only.</i>	1,288.29
BTC10368		Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks.</i> <i>DFS MCS for Z900 M & R Series only.</i> <i>For all Z900 B/M/R Series with 60" side discharge decks.</i> <i>DFS MCS for Z900 M & R Series only.</i>	1,261.53
BTC10370		Attaching Parts for 1828.8-mm (72-in.) 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i> <i>For all Z900 M/R Series with 72" side discharge decks.</i>	1,288.29
BTC10365		Attaching Parts for 1219.2-mm (48-in.) and 1371.6-mm (54-in.) 7-Iron PRO Mulch-On-Demand Decks <i>For all Z900M/R Series with 48" & 54" Mulch-on-Demand decks.</i> <i>For all Z900M/R Series with 48" & 54" Mulch-on-Demand decks.</i>	1,437.01
BTC10369		Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Mulch-On-Demand Decks <i>For all Z900M/R Series with 60" Mulch-on-Demand decks.</i> <i>For all Z900M/R Series with 60" Mulch-on-Demand decks.</i>	1,437.01

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag MCS

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Miscellaneous			
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks 7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.	895.59
Weights			
UC13263		Quik-Tatch Weight, 42 lb (19 kg) Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)	59.91

JOHN DEERE TURF & UTILITY PRODUCTS

ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag MCS Equipment for Base Machine

3-Bag Collection Hopper	20.32 cm (8 In.) Diameter Chute	to Change without Notice.
14 Bushel Capacity	Quick Detach Blower	
Steel Hopper Top	Weight Bracket	
Mechanical Hopper Top Lock		
Horizontal 7-Iron	The Above Specifications are	
Blower Configuration	Indicative of the Base Feature	
Steel Blower Housing	Machine only and may Differ if	
5 Blade Commercial Impeller	Alternative Options/Attachments	
35.56 cm (14 In.) Impeller	are Ordered.	
Diameter	Pricing and Specifications are	
Easy-To-Empty Bags	Recommended only and are Subject	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0784TC	14 Bushel 3-Bag MCS <i>For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks Not Compatible with Model Year 2007 and Prior Z-Trak Mowers. Not Compatible with Z-Trak Estate Mowers. WEIGHTS NOT INCLUDED. Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	3,029.00
--------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

ATTACHING PARTS

1005	Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above. For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	In Base Price
1006	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	No Added Cost
1007	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i>	No Added Cost
1008	Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" & 54" Mulch-on-Demand decks.</i>	130.00
1009	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks.</i>	130.00
1011	Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 54" side discharge decks.</i>	No Added Cost
1010	Less Attaching Parts	-1,124.00

BLOWER

2000	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010	Less Blower	-781.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag MCS

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Miscellaneous			
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks 7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.	895.59
Weights			
UC13263		Quik-Tatch Weight, 42 lb (19 kg) Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)	59.91

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel Dump From Seat MCS
Equipment for Base Machine

High Density Polypropylene Hopper 14 Bushel Capacity Mechanical Dump From Operator Seat Horizontal 7-Iron Blower Configuration Steel Blower Housing 5 Blade Commercial Impeller 35.56 cm (14 In.) Impeller Diameter	20.32 cm (8 In.) Diameter Chute Quick Detach Blower Weight Bracket The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject	to Change without Notice.
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0787TC	14 Bushel Dump From Seat MCS <i>For 48 In./54 In./60 In./72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks</i> <i>Not Compatible with Model Year 2012 and Prior Z-Trak Mowers.</i> <i>Not Compatible with Z900B and Z900E Mowers.</i> <i>No Compatible with Michelin X Tweel Turf tires</i> WEIGHTS NOT INCLUDED. <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	3,369.00
--------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	No Added Cost

ATTACHING PARTS

1005	Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 48" side discharge decks.</i> <i>DFS MCS for Z900 M & R Series only.</i>	In Base Price
1006	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 60" side discharge decks.</i> <i>DFS MCS for Z900 M & R Series only.</i>	No Added Cost
1007	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	No Added Cost
1008	Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 48" & 54" Mulch-on-Demand decks.</i>	130.00
1009	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 60" Mulch-on-Demand decks.</i>	130.00
1011	Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 54" side discharge decks.</i> <i>DFS MCS for Z900 M & R Series only.</i>	No Added Cost

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

14 Bushel Dump From Seat MCS

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHING PARTS Continued...	
1010		Less Attaching Parts	-1,124.00

BLOWER

2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-781.00

ATTACHMENTS FOR FIELD CONVERSION

	Attaching Parts	
BTC10221	Attaching Parts for 1219.2-mm (48-in.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M & R Series only. For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	1,288.29
BTC10363	Attaching Parts for 1371.6-mm (54-in.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M & R Series only. For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	1,288.29
BTC10368	Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M & R Series only. For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	1,261.53
BTC10370	Attaching Parts for 1828.8-mm (72-in.) 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks. For all Z900 M/R Series with 72" side discharge decks.</i>	1,288.29
BTC10365	Attaching Parts for 1219.2-mm (48-in.) and 1371.6-mm (54-in.) 7-Iron PRO Mulch-On-Demand Decks <i>For all Z900M/R Series with 48" & 54" Mulch-on-Demand decks. For all Z900M/R Series with 48" & 54" Mulch-on-Demand decks.</i>	1,437.01
BTC10369	Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Mulch-On-Demand Decks <i>For all Z900M/R Series with 60" Mulch-on-Demand decks. For all Z900M/R Series with 60" Mulch-on-Demand decks.</i>	1,437.01
	Miscellaneous	
TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks <i>7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.</i>	895.59
	Weights	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)</i>	59.91

JOHN DEERE TURF & UTILITY PRODUCTS

ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel Dump From Seat MCS

Equipment for Base Machine

High Density Polypropylene
Hopper
14 Bushel Capacity
Mechanical Dump From
Operator Seat
Horizontal 7-Iron
Blower Configuration
Steel Blower Housing
5 Blade Commercial Impeller
35.56 cm (14 In.) Impeller
Diameter

20.32 cm (8 In.) Diameter Chute to Change without Notice.
Quick Detach Blower
Weight Bracket

The Above Specifications are
Indicative of the Base Feature
Machine only and may Differ if
Alternative Options/Attachments
are Ordered.
Pricing and Specifications are
Recommended only and are Subject

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0785TC	14 Bushel Dump From Seat MCS <i>For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks Not Compatible with Model Year 2007 and Prior Z-Trak Mowers. Not Compatible with Z-Trak Estate Mowers. WEIGHTS NOT INCLUDED. Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	3,289.00
--------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

ATTACHING PARTS

1005	Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above. For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	In Base Price
1006	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	No Added Cost
1007	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i>	No Added Cost
1008	Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" & 54" Mulch-on-Demand decks.</i>	130.00
1009	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks.</i>	130.00
1011	Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 54" side discharge decks.</i>	No Added Cost
1010	Less Attaching Parts	-1,124.00

BLOWER

2000	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010	Less Blower	-781.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel Dump From Seat MCS

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Miscellaneous			
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks 7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.	895.59
Weights			
UC13263		Quik-Tatch Weight, 42 lb (19 kg) Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)	59.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Current Attachments for Non-Current Commercial Zero-Turn-Radius Mowers and Equipment
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Material Collection System	
TCB11732		Attaching Parts for 48 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A & Z900A with 48" side discharge decks.</i>	926.61
TCB11735		Attaching Parts for 48 In. and 54 In 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A & Z900A with 48" & 54" Mulch-on-Demand decks.</i>	1,191.99
TCB11075		Attaching Parts for 48 In. and 54 In. 7-Iron and 7-Iron II Decks (717A, 727A)	508.26
TCB11736		Attaching Parts for 54 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A & Z900A with 54" side discharge decks.</i>	926.61
TCB11074		Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757)	503.97
TCB11088		Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Deck (757)	524.30
TCB11734		Attaching Parts for 60 In. Z-Trak Estate <i>For Z520A.</i>	926.61
TCB11234		Chute	167.99
		Miscellaneous	
TCA17208		Bumper Kit <i>Requires (2) 19M7817.</i>	162.22
TCB11673		Bumper Kit <i>Z700A Mowers.</i>	111.29
		Miscellaneous	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	895.59
		Mower Deck and Mower Deck Attachments	
TCB10801		Cloth Grass Catcher (3.5 Bushel)	456.89
TCB11228		Rear Anti-Scalp Wheel Kit <i>For Z710 and Z720.</i>	179.76
TCB11266		Roller Striping Kit for 48 In. Deck <i>For Z710.</i>	466.51
TCB11229		Roller Striping Kit for 54 In. Deck <i>For Z710.</i>	466.51
		Mulch Kits	
TCB10952		Mulch Kit (1219.2-mm (48-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	310.30
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Current Attachments for Non-Current Commercial Zero-Turn-Radius Mowers and Equipment
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		Striping Kits	
	TCB11230	Roller Striping Kit for 1524-mm (60-in.) Deck For Z720. For Model Year '11 and Later (Serial # 060000-).	466.51
		Weights	
	TCB10900	(1) Caster Wheel Weight For 717A, 727A Mini-Frame Z-TRAK Mowers. Requires Additional Attaching Hardware: (1) N231578 (2) E54809, (2) 24M7180.	142.31
		Weights	
	TCB11099	Lower Weight Bracket Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.	162.64

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 60 In. 7 IRON PRO SIDE DISCHARGE DECK

Equipment for Base Machine

Z997R Commercial L. C. Diesel
 Max-Frame Z-Trak with 60 In.
 Side Discharge 7-Iron
 Equipment for Base Machine
 37.4 HP (27.5 kW), gross SAE
 J1995, PS
 Rated at 3000 rpm
 Diesel Engine 100.2 cu. in.
 (1.64 L) Three Cylinder
 Liquid-Cooled
 Up to B20 Compliant
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy-Duty Canister Air
 Cleaner; Dual Element, Dry-Type
 with Safety Element and Air
 Service Indicator
 1.5 x 3.0 In. Steel Tubular
 Frame - 7 Gauge
 12 Volt with 75 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 Tuff Torq Dual Unitized Pump

Dual Wheel Parking Brake
 Operator Presence System
 Folding Two Post ROPS
 (Roll-Over Protective
 Structure) and Seat Belt
 60 In. 7-Iron PRO Commercial
 Side Discharge Mower Deck
 7-Gauge Stamped Steel Mower
 Deck
 8 In. Aluminum Spindle Housing
 One-Touch Dial and Electric
 Deck Lift Height of Cut
 Adjustment
 Full Floating Suspension Deck
 1.5 - 5.0 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Quick-Service Hinged Foot
 Platform
 Fully Enclosed Engine
 Compartment
 Ergonomic Operator Contoured
 Soft Touch Grips and Integrated

Handle Controls
 11.5 MPH Mowing Speed
 12 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 26x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 15x6-6 Flat Free Front Caster
 Tires
 Right Hand Control Console
 Cluster
 Cup and Tool Holder
 Hydraulic PTO Clutch
 Digital Multi-function Display
 Deluxe Comfort Seat with
 Suspension and Armrests

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

091FTC	Z997R DIESEL W 60 In. 7 IRON PRO SIDE DISCHARGE DECK	24,849.00
--------	------------------------------------------------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

DRIVE WHEELS AND TIRES

1150	26x12x12 Pneumatic Turf Tire for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks	In Base Price
1151	26x12N12 Michelin X Tweel Turf for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere Z997, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00

ATTACHMENTS FOR FIELD CONVERSION

TCB11281	Lighting Front Light (2) Kit	256.80
BUC10589	Miscellaneous Front Jack Kit <i>Includes jack and mounting kit.</i>	227.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 60 In. 7 IRON PRO SIDE DISCHARGE DECK

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10674	Rear Bumper Kit	261.09
		Mulch Kits	
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		Seat	
	TCA18513	Deluxe Comfort Seat with Armrest	831.35
		Striping Kits	
	TCB11230	Roller Striping Kit for 1524-mm (60-in.) Deck <i>Roller Length is 60 In.</i>	466.51

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 72 In. 7 IRON PRO SIDE DISCHARGE DECK

Equipment for Base Machine

Z997R Commercial L. C. Diesel
 Max-Frame Z-Trak with 72 In.
 Side Discharge 7-Iron
 Equipment for Base Machine
 37.4 HP (27.5 kW), gross SAE
 J1995, PS
 Rated at 3000 rpm
 Diesel Engine 100.2 cu. in.
 (1.64 L)
 Three Cylinder Liquid-Cooled
 Up to B20 Compliant
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy-Duty Canister Air
 Cleaner; Dual Element, Dry-Type
 with Safety Element and Air
 Service Indicator
 1.5 x 3.0 In. Steel Tubular
 Frame - 7 Gauge
 12 Volt with 75 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 Tuff Torq Dual Unitized Pump

Dual Wheel Parking Brake
 Operator Presence System
 Folding Two Post ROPS
 (Roll-Over Protective
 Structure) and Seat Belt
 72 In. 7-Iron PRO Commercial
 Side Discharge Mower Deck
 7-Gauge Stamped Steel Mower
 Deck
 8 In. Aluminum Spindle Housing
 One-Touch Dial and Electric
 Deck Lift Height of Cut
 Adjustment
 Full Floating Suspension Deck
 1.5 - 5.0 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Quick-Service Hinged Foot
 Platform
 Fully Enclosed Engine
 Compartment
 Ergonomic Operator Contoured
 Soft Touch Grips and Integrated

Handle Controls
 11.5 MPH Mowing Speed
 12 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 26x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 15x6-6 Flat Free Front Caster
 Tires
 Right Hand Control Console
 Cluster
 Cup and Tool Holder
 Hydraulic PTO Clutch
 Digital Multi-function Display
 Deluxe Comfort Seat with
 Suspension and Armrests

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

091ETC	Z997R DIESEL W 72 In. 7 IRON PRO SIDE DISCHARGE DECK	25,389.00
--------	------------------------------------------------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

DRIVE WHEELS AND TIRES

1150	26x12x12 Pneumatic Turf Tire for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks	In Base Price
1151	26x12N12 Michelin X Tweel Turf for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere Z997, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00

ATTACHMENTS FOR FIELD CONVERSION

TCB11281	Lighting Front Light (2) Kit	256.80
BUC10589	Miscellaneous Front Jack Kit <i>Includes jack and mounting kit.</i>	227.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 72 In. 7 IRON PRO SIDE DISCHARGE DECK

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10674	Rear Bumper Kit	261.09
		Mulch Kits	
	TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
		Seat	
	TCA18513	Deluxe Comfort Seat with Armrest	831.35
		Striping Kits	
	TCB11231	Roller Striping Kit for 1828.8-mm (72-in.) Deck For Model Year '11 and Later Power Units (Serial Number 060000-) or Serialized Replacement Decks (Serial Number 010001-). Roller Length is 60 In.	466.51

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 60 In. 7 IRON PRO REAR DISCHARGE DECK

Equipment for Base Machine

Z997R Commercial L. C. Diesel
 Max-Frame Z-Trak with 60 In.
 Rear Discharge 7- Iron
 Equipment for Base Machine
 37.4 HP (27.5 kW), gross SAE
 J1995, PS
 Rated at 3000 rpm
 Diesel Engine 100.2 cu. in.
 (1.64 L) Three Cylinder
 Liquid-Cooled
 Up to B20 Compliant
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy-Duty Canister Air
 Cleaner; Dual Element, Dry-Type
 with Safety Element and Air
 Service Indicator
 1.5 x 3.0 In. Steel Tubular
 Frame - 7 Gauge
 12 Volt with 75 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 Tuff Torq Dual Unitized Pump

Dual Wheel Parking Brake
 Operator Presence System
 Folding Two Post ROPS
 (Roll-Over Protective Structure)
 and Seat Belt
 60 In. Commercial Rear
 Discharge Mower Deck
 7-Gauge Steel Mower Deck
 8 In. Aluminum Spindle Housing
 One-Touch Dial and Electric
 Deck Lift Height of Cut
 Adjustment
 Full Floating Suspension Deck
 1.5 - 5.0 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Quick-Service Hinged Foot
 Platform
 Fully Enclosed Engine
 Compartment
 Ergonomic Operator Contoured
 Soft Touch Grips and Integrated
 Handle Controls

11.5 MPH Mowing Speed
 12 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 26x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 15x6-6 Flat Free Front Caster
 Tires
 Right Hand Control Console
 Cluster
 Cup and Tool Holder
 Hydraulic PTO Clutch
 Digital Multi-function Display
 Deluxe Comfort Seat with
 Suspension and Armrests

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

091GTC	Z997R DIESEL W 60 In. 7 IRON PRO REAR DISCHARGE DECK	25,479.00
--------	------------------------------------------------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

DRIVE WHEELS AND TIRES

1150	26x12x12 Pneumatic Turf Tire for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks	In Base Price
1151	26x12N12 Michelin X Tweel Turf for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere Z997, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00

ATTACHMENTS FOR FIELD CONVERSION

TCB11281	Lighting Front Light (2) Kit	256.80
BUC10589	Miscellaneous Front Jack Kit <i>Includes jack and mounting kit.</i>	227.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 60 In. 7 IRON PRO REAR DISCHARGE DECK

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10674	Rear Bumper Kit	261.09
		Seat	
	TCA18513	Deluxe Comfort Seat with Armrest	831.35

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 60 In. MULCH ON DEMAND DECK

Equipment for Base Machine

Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 60 In. Mulch on Demand 7- Iron Pro Deck Equipment for Base Machine 37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm Diesel Engine 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Full Pressure Lubrication System With Replaceable Oil Filter Heavy-Duty Canister Air Cleaner; Dual Element, Dry-Type with Safety Element and Air Service Indicator 1.5 x 3.0 In. Steel Tubular Frame - 7 Gauge 12 Volt with 75 AMP Regulated Charge System Dual Hydrostatic Wheel Drive Tuff Torq Dual Unitized Pump	Dual Wheel Parking Brake Operator Presence System Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt 60 In. Commercial Rear Discharge Mower Deck 7-Gauge Steel Mower Deck 8 In. Aluminum Spindle Housing One-Touch Dial and Electric Deck Lift Height of Cut Adjustment Full Floating Suspension Deck 1.5 - 5.0 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Quick-Service Hinged Foot Platform Fully Enclosed Engine Compartment Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls	11.5 MPH Mowing Speed 12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 26x12-12 In. Square Shoulder 4PR Turf Drive Tires 15x6-6 Flat Free Front Caster Tires Right Hand Control Console Cluster Cup and Tool Holder Hydraulic PTO Clutch Digital Multi-function Display Deluxe Comfort Seat with Suspension and Armrests
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

091LTC	Z997R DIESEL W 60 In. MULCH ON DEMAND DECK	25,719.00
--------	--------------------------------------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

DRIVE WHEELS AND TIRES

1150	26x12x12 Pneumatic Turf Tire for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks	In Base Price
1151	26x12N12 Michelin X Tweel Turf for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere Z997, visit www.JohnDeere.com/Tweel . MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.	879.00

ATTACHMENTS FOR FIELD CONVERSION

TCB11281	Lighting Front Light (2) Kit	256.80
BUC10589	Miscellaneous Front Jack Kit Includes jack and mounting kit.	227.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 60 In. MULCH ON DEMAND DECK

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10674	Rear Bumper Kit	261.09
		Seat	
	TCA18513	Deluxe Comfort Seat with Armrest	831.35
		Striping Kits	
	TCB11230	Roller Striping Kit for 1524-mm (60-in.) Deck <i>Roller Length is 60 In.</i>	466.51

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z994R Diesel Commercial ZTrak
Equipment for Base Machine

ENGINE: Engine HP (kW), gross SAE J1995: 24.7 HP (18.4 kW) Rated engine speed, rpm: 3200 rpm Displacement, cc (in): 1267cc(77.3 in) Horizontal-Shaft Three Cylinder Liquid Cooled Diesel Engine @2000 rpm (47.2 lb-ft) 64 Nm torque Indirect fuel injection Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element Air restriction indicator standard Charging system: 12 Volt with 75 amp Travel Speed: 10.4 MPH (16.7 KMPH) Fuel Capacity: 11.5 gallons (43.5 liters) B20 Compliant Fuel Filter with replaceable element HYDRAULIC/TRANSMISSION/PTO: Dual Hydrostatic Wheel Drive	TuffTorq Heavy Duty Ground Drive Cross-Porting for improved cooling Foot Actuated Parking Brake Electric PTO Clutch STEERING: Dual Lever Direction/Speed Control DECK: 54 Inch 7-Iron PRO Side Discharge Mower Deck Optional decks: 60 Inch 7-Iron PRO Side Discharge Mower Deck and 60 Inch Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Aluminum Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Foot Spring Assisted Height of Cut Adjustment Single-Turn Deck Transport Lock System Full Floating Suspension Deck 25 140 mm (1.0 - 5.5 In.) Cutting Heights in 6 mm (0.25 In) Increments FRAME/STYLING/TIRES: Steel Channel Frame Rear Bumper	24x12-12 In. Square Shoulder 4PR Turf Drive Tires 13x6.5-6 Semi-Pneumatic Front Caster Tires Optional: 24x12N12 Michelin Tweels OPERATOR ENVIRONMENT: Operator Presence System Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt Right Hand Control Console Cluster Cup Holder Digital Hour meter Fuel Gauge Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2540TC	Z994R Diesel Commercial ZTrak	17,379.00
--------	-------------------------------	-----------

DESTINATION

North America
 United States and Canada
Requires Operator's Manual - 0443

001A		In Base Price
------	--	---------------

MOWER DECKS

1502	54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1504	60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	270.00
1505	60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp</i>	1,140.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z994R Diesel Commercial ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
<i>Wheels.</i>			
<i>Requires Tires & Wheels option code 1036 or 1038.</i>			
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
ATTACHMENTS FOR FIELD CONVERSION			
Lighting			
BUC10506		Front work light kit (2) <i>Not compatible with Mulch on Demand Decks</i>	284.61
BUC10603		LED Beacon Light Kit	288.90
Miscellaneous			
LP1400		Floor Mat	See Parts
BUC10584		Jack Kit	219.36
LPA11548		Sun Canopy	169.00
Mulch Kits			
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
Rear Hitch			
BUC10300		Hitch Kit	36.39
Seat			
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
BTC10907		Isolated Suspension Seat Kit	269.64
BUC10467		Suspension Seat Kit	788.59

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z994R Diesel Commercial ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Spark Arrestor	
	AM115838	Spark Arrestor Screen	31.40
		Striping Kits	
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

60 In. 7-Iron PRO Mulch-On-Demand Deck
Equipment for Base Machine

60 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Cast Iron Spindle Housing
1.5-5.0 In. Height of Cut	Hinged Side Discharge Chute
Mulch On Demand System	Greaseable Spindles
Deep Deck Design	7-Iron PRO 7-Gauge (.177 In.)
Quick Release Belt Shields	Steel
(2) Rear Adjustable	Splined Shaft Drive
Gauge Wheel	Baffling System
Front and Rear Anti-Scalp Wheels	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

035DTC	60 In. 7-Iron PRO Mulch-On-Demand Deck <i>For 997R and 997 Diesel ZTrak</i>	3,630.00
--------	--------------------------------------------------------------------------------	----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

TCB11230	Striping Kits Roller Striping Kit for 1524-mm (60-in.) Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i> <i>Actual roller length for 60-in (152 cm) decks is 44.4-in. (113 cm) in length.</i>	466.51
----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

60 In. 7-Iron PRO Side Discharge Deck

Equipment for Base Machine

60 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Cast Iron Spindle Housing
1.5-5.0 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
Quick Release Belt Shields	7-Iron PRO 7-Gauge (.177 In.)
(2) Rear Adjustable	Steel
Gauge Wheel	Splined Shaft Drive
Front and Rear Anti-Scalp Wheels	Baffling System

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

033BTC	60 In. 7-Iron PRO Side Discharge Deck <i>For Z997R and 997 Diesel ZTrak</i>	2,760.00
--------	--------------------------------------------------------------------------------	----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Mulch Kits		
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
Striping Kits		
TCB11230	Roller Striping Kit for 1524-mm (60-in.) Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i> <i>Actual roller length for 60-in (152 cm) decks is 44.4-in. (113 cm) in length.</i>	466.51

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

60 In. 7-Iron PRO Rear Discharge Deck
Equipment for Base Machine

60 In. Cutting Width	Offset Spindles
(3) HD Spindles, Blades	8 In. Cast Iron Spindle Housing
Fabricated Deck	Rear Discharge Chute
1.5-5 In. Height of Cut	Greaseable Spindles
Deep Deck Design	7-Iron PRO 7-Gauge (.177 In.)
Vehicle Enclosure Kit	Steel
Quick Release Belt Shields	Splined Shaft Drive
Front Anti-Scalp Wheels	Baffling System
Steel Bar Reinforcement	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

051ATC	60 In. 7-Iron PRO Rear Discharge Deck <i>For Z997R and 997 Diesel Ztrak</i>	3,390.00
--------	--------------------------------------------------------------------------------	----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

72 In. 7-Iron PRO Side Discharge Deck

Equipment for Base Machine

72 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Cast Iron Spindle Housing
1.5-5 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
Quick Release Belt Shields	7-Iron PRO 7-Gauge (.177 In.)
(2) Rear Adjustable	Steel
Gauge Wheels	Splined Shaft Drive
Front and Rear Anti-Scalp Wheels	Baffling System

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

034ATC	72 In. 7-Iron PRO Side Discharge Deck <i>For Z997R and 997 Diesel ZTrak</i>	3,300.00
--------	--------------------------------------------------------------------------------	----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Mulch Kits		
TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
Striping Kits		
TCB11231	Roller Striping Kit for 1828.8-mm (72-in.) Deck <i>For Model Year '11 and Later Power Units (Serial Number 060000-) or Serialized Replacement Decks (Serial Number 010001-).</i> <i>The actual roller length for the 72-in. (183 cm) deck is 60 in. (152 cm)</i>	466.51

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**13 Bushel Dump From Seat MCS (Z997)
Equipment for Base Machine**

High Density Polyethylene Hopper
Tubular Steel Frame With
Polypropylene Fabric Door
13 Bushel Capacity
Mechanical Dump From
Operator Seat
Attaching Framework
7-Iron Blower
Steel Blower Housing
Upper Weight Bracket
35.56 cm (14 In.) Impeller

Diameter
20.32 cm (8 In.) Diameter Chute
Quick Detach Blower
Weight Bracket

The Above Specifications are
Indicative of the Base Feature
Machine only and may Differ if
Alternative Options/Attachments
are Ordered.
Pricing and Specifications are

Recommended only and are Subject
to Change without Notice.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0775TC	13 Bushel Dump From Seat MCS (Z997) <i>For 997 with 152.4/182.88 cm (60/72 In.) side discharge decks and 152.4 cm (60 In.) Mulch-On-Demand decks only.</i> WEIGHTS NOT INCLUDED. <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i> <i>Not compatible with MY16 and later Z997R</i>	3,639.00
--------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

DESTINATION

001A	United States and Canada	In Base Price
001B	Europe	No Added Cost
001D	Other	No Added Cost

ATTACHING PARTS

3405	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i>	In Base Price
3406	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i>	13.00
3408	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i>	200.00
3490	Less Attaching Parts	-305.00

BLOWER

3500	7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520	Less Blower	-781.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

13 Bushel Dump From Seat MCS (Z997)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Attaching Parts	
BTC10264		Attaching Parts for Blower <i>For all 997 with 72" side discharge decks.</i> <i>For all 997 with 72" side discharge decks.</i>	364.87
BTC10265		Attaching Parts for Blower <i>For all 997 with 60" Mulch-On-Demand decks.</i> <i>For all 997 with 60" Mulch-On-Demand decks.</i>	578.87
BTC10266		Attaching Parts for Blower <i>For all 997 with 60" side discharge decks.</i> <i>For all 997 with 60" side discharge decks.</i>	349.89
		Miscellaneous	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks <i>7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.</i>	895.59
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i> <i>Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)</i>	59.91
DMA210494		Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i> <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i>	323.76

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

14 Bushel Dump From Seat MCS (Z997R)

Equipment for Base Machine

Low Density Polyethylene Hopper
Tubular Steel Frame With Low
Density Polyethylene Door
14 Bushel Capacity
Electrical Power Dump From
Operator Seat
Attaching Framework
7-Iron Blower

Steel Blower Housing
Tilt for Service Feature
14 In. Impeller Diameter
6 In. Diameter Chute
Quick Detach Blower
Weight Bracket

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0776TC	14 Bushel Dump From Seat MCS (Z997R) <i>For MY15 and newer Z997R with 60/72 In. Side Discharge decks and 60 In. Mulch-On-Demand decks only.</i> WEIGHTS NOT INCLUDED. <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	4,459.00
--------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHING PARTS

3405	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i>	In Base Price
3406	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i>	13.00
3408	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i>	200.00
3490	Less Attaching Parts	-305.00

BLOWER

3500	7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520	Less Blower	-781.00

ATTACHMENTS FOR FIELD CONVERSION

BTC10264	Attaching Parts Attaching Parts for Blower <i>For all 997 with 72" side discharge decks.</i> <i>For all 997 with 72" side discharge decks.</i>	364.87
BTC10265	Attaching Parts for Blower <i>For all 997 with 60" Mulch-On-Demand decks.</i> <i>For all 997 with 60" Mulch-On-Demand decks.</i>	578.87

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel Dump From Seat MCS (Z997R)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10266	Attaching Parts for Blower <i>For all 997 with 60" side discharge decks. For all 997 with 60" side discharge decks.</i>	349.89
		Miscellaneous	
	TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks <i>7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.</i>	895.59
		Weights	
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)</i>	59.91
	DMA210494	Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware. Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i>	323.76